




**MORE THAN SENSORS**




**CATARIFRANGENTI SERIE CT / REFLECTORS CT SERIES**

RELAZIONE DISTANZA CATARIFRANGENTE/FOTOCELLULA  
RELATIONSHIP BETWEEN REFLECTOR AND DISTANCE




LIMITI DI TEMPERATURA MAX.: -10 ÷ +60°C / MATERIALE: PMMA/ABS  
TEMPERATURE LIMITS: -10 ÷ +60°C / PLASTIC MATERIAL: PMMA/ABS



DIMENSIONI (mm) / DIMENSIONS (mm)

**CT20-RFL000001**

Spessore 5 mm  
Thickness 5 mm




**CT25-RFL000002**

Spessore 6 mm  
Thickness 6 mm




**CT35-RFL000003**

Spessore 6 mm  
Thickness 6 mm




**CT80-RFL000008**

Spessore 8 mm  
Thickness 8 mm




**CT42-RFL000004**

Spessore 6,8 mm  
Thickness 6,8 mm




**CT45-RFL000005**

Spessore 8 mm  
Thickness 8 mm




**CTR4-RFL000014**

Spessore 6 mm  
Thickness 6 mm




**CTR6-RFL000015**

Spessore 8,5 mm  
Thickness 8,5 mm




**CTR7-RFL000016**

Spessore 8 mm  
Thickness 8 mm



**RFL000011**

Foglio formato A4 - 210 x 305 mm  
Size A4 - 210 x 305 mm



CARTA RIFRANGENTE  
AUTOADESIVA  
SCOTCHLIGHT

**RFL000009**

Nastro / Roll




**RFL000010**

Nastro / Roll


**CTR8-RFL000017**

Spessore 8 mm  
Thickness 8 mm



**CTR10-RFL000018**

Spessore 9,5 mm  
Thickness 9,5 mm



## MORE THAN SENSORS

La riproduzione del presente catalogo è VIETATA, la Società AECO si riserva di apportare alle proprie apparecchiature le modifiche necessarie, senza preavviso in qualsiasi momento.  
*Reproduction of this catalog is PROHIBITED, the AECO Company reserves the right to make any necessary changes to its equipment without notice at any time.*



**AECO s.r.l.**

Via G. Leopardi, 5 - 20065 Inzago (Milano) ITALY  
Tel. ++39 02 954381 - Fax ++39 02 9548528

email: [mv.italy@aecosensors.com](mailto:mv.italy@aecosensors.com)  
email: [mv.export@aecosensors.com](mailto:mv.export@aecosensors.com)

[www.aecosensors.com](http://www.aecosensors.com)